



Lexmark MX810, MX811 and MX812 Series Monochrome Laser MFPs



MX81x dfe

Built for Top Performance.

The Lexmark MX81x Series laser MFPs save time with blazing-fast processor, print, copy and scan speeds, plus they pack productivity solutions that boost your competitive edge. Need faster speeds? Choose the MX811 or the MX812.

Set the Pace for Increased Productivity.

Stay a step ahead and get more work done faster. These printers can meet your most demanding expectations, providing professional, finished documents. Choose the options you like to build the solution you need.

Faster Processing - Improve your print, scan and copy speeds by taking advantage of up to 3 GB of upgradable memory, an 800 MHz dual-core processor and Gigabit Ethernet.

Reliable High Performance - Print or copy up to 35,000 pages per month, plus enjoy fewer maintenance hassles, thanks to the state-of-the-art paper handling.

Keep Jobs Moving - With a maximum input capacity of up to 2750 sheets and an extra high yield toner cartridge, you won't have to add paper or change cartridges as often.

Get Work Done Quickly - Enjoy print and copy speeds from 52 to 60 pages per minute, produce your first page in as little as 4.4 seconds and rapidly scan a two-sided document in a single pass. Want to print or copy up to 66 pages per minute? Get the MX812.

Look Professional. Work Smarter.

Using a multifunction printer is really simple. The easy-to-read touch screen saves steps with the press of a button. Now you can deliver great-looking documents fast, and focus more on your business.

Large Touch Screen - A vibrant, easy-to-use 26 cm colour touch screen provides access to pre-installed workflow solutions.

One-touch Controls - Preview your held jobs to print only the pages you need and make changes on the fly. Choose multi-image printing on one page, or select two-sided printing to save paper.

Print on a Wide Range of Media - With built-in two-sided printing and the ability to print on diverse materials, you can do more for your business and use less paper.

Innovative Toner That Optimises Performance - Get greater system performance with Lexmark's Unison™ Toner, which delivers consistent image quality from first print to last.

Intelligent Workflow. Secure Design.

The pre-loaded business solutions simplify your work processes and increase productivity. Advanced security capabilities provide maximum protection for your critical business data.

Print Anytime and Anywhere⁶ - With these printers, you can print from desktops as well as mobile devices that can run applications.



Apps Make It Easy - Pre-loaded solutions work much like mobile phone apps. Touch the screen and access shortcuts to scan, print, copy or send faxes, emails and other documents fast.

Enjoy Enterprise-level Security - Now you can authenticate, authorise and audit employee usage. To protect sensitive data, you can also use standard network security protocols, data encryption and disk wiping capabilities.

Identify Potential Risks - Track more than 100 variables and events, including user activity, with Audit Logging. It's designed to work with your intrusion detection system in real time.

Lexmark MX810, MX811 and MX812 Series Monochrome Laser MFPs

Product Features



Product specifications

	Lexmark MX810dfe/dxfe	Lexmark MX811dfe/dxfe	Lexmark MX812dfe/dxfe
Printing			
Functionality	Printing, Network scanning, Faxing, Copying, Colour scanning		
Display	Lexmark e-Task 25.9 cm colour touch screen		
Print Speed: Up to ⁴	Black: 52 ppm	Black: 60 ppm	Black: 66 ppm
Time to First Page: As fast as	Black: 4.8 seconds	Black: 4.4 seconds	Black: 4.0 seconds
Print Resolution	Black: 600 x 600 dpi, 2400 Image Quality, 1200 x 1200 dpi, 1200 Image Quality		
Memory / Processor	Standard: 1024 MB / Maximum: 3072 MB / Processor: Dual Core, 800 MHz		
Hard Disk	Included in configuration		
Recommended monthly page volume ²	5000 - 35,000 pages		
Maximum monthly duty cycle: up to ³	300,000 pages per month		
Copying			
Copy Speed: Up to ⁴	Black: 52 cpm	Black: 60 cpm	Black: 66 cpm
Time to First Copy: As fast as	Black: 4.5 seconds	Black: 4.2 seconds	Black: 4.0 seconds
Colour Scanning			
Scanner Type / ADF Scan	Flatbed scanner with ADF / DADF (single pass duplex) / 150 pages		
Duplex Scan Speed: Up to	A4, black: 70 spm - A4, colour: 66 spm		
Simplex Scan Speed: Up to	A4, black: 67 spm - A4, colour: 67 spm		
Faxing			
Modem speed	ITU T.30, V.34 Half-Duplex, 33.6 kbps		
Supplies⁶			
Laser cartridge yields	6000 ¹ -page cartridge, 45,000 ¹ -page cartridge, 25,000 ¹ -page cartridge	6000 ¹ -page cartridge, 45,000 ¹ -page cartridge, 25,000 ¹ -page cartridge	25,000 ¹ -page cartridge, 45,000 ¹ -page cartridge, 6000 ¹ -page cartridge
Imaging unit yield: up to ⁵	100,000 pages, based on average 3 pages per print job and 5% coverage		
Cartridge(s) shipped with product	25,000 ¹ -page Return Program toner cartridge		
Paper Handling			
Paper handling (standard) (dfe)	Integrated duplex, 550-sheet tray, 550-sheet output bin, Staple finisher, 550-sheet input, 100-sheet multipurpose feeder	Staple finisher, 550-sheet input, 100-sheet multipurpose feeder, 550-sheet output bin, Integrated duplex, 550-sheet tray	Integrated duplex, 550-sheet tray, 550-sheet output bin, Staple finisher, 550-sheet input, 100-sheet multipurpose feeder
Paper handling (standard) (dxfe)	Staple finisher, 550-sheet input, 100-sheet multipurpose feeder, 550-sheet output bin, Integrated duplex, 2100-sheet tray		
Paper input capacity, standard: up to (dfe)	Standard: 1200 pages / Maximum: 2300 pages		
Paper input capacity, standard: up to (dxfe)	Standard: 2750 pages / Maximum: 2750 pages		
Paper Output Capacity: Up to	Standard: 1050 pages / Maximum: 1050 pages		
Media types supported	Card stock, Dual web labels, Envelopes, Integrated labels, Paper labels, Plain paper, Transparencies, Refer to the Card Stock & Label Guide		
Media sizes supported	A6, 10 envelope, 7 3/4 envelope, 9 envelope, A4, A5, B5 envelope, C5 envelope, DL envelope, Oficio, Universal sizes, Statement, Letter, Legal, JIS-B5, Folio, Executive		
General			
Connectivity (standard)	One free internal card slot, Gigabit Ethernet (10/100/1000), USB 2.0 Hi-Speed certified port (type B), Rear USB 2.0 Hi-Speed certified port (type A), Front USB 2.0 Hi-Speed certified port (type A)		
Optional Network Ports / Optional Local Ports	MarkNet 8350 802.11b/g/n Wireless (internal) / 1284-B parallel interface card, RS-232C serial interface card		
Noise Level, Operating	Print: 55 dBA / Copy: 55 dBA / Scan: 57 dBA	Print: 55 dBA / Copy: 56 dBA / Scan: 57 dBA	Print: 56 dBA / Copy: 56 dBA / Scan: 57 dBA
Product guarantee	1 year On Site Service		
Size (mm. - H x W x D) / Weight (kg)	1133 x 663 x 734 mm / 87,6 kg		

Lexmark MX810, MX811 and MX812 Series Monochrome Laser MFPs

Product specifications	Lexmark MX810dpe/dxpe	Lexmark MX811dpe/dxpe	Lexmark MX812dpe/dxpe
Printing			
Functionality	Printing, Network scanning, Faxing, Copying, Colour scanning		
Display	Lexmark e-Task 25.9 cm colour touch screen		
Print Speed: Up to ⁴	Black: 52 ppm	Black: 60 ppm	Black: 66 ppm
Time to First Page: As fast as	Black: 4.8 seconds	Black: 4.4 seconds	Black: 4.0 seconds
Print Resolution	Black: 600 x 600 dpi, 2400 Image Quality, 1200 x 1200 dpi, 1200 Image Quality		
Memory / Processor	Standard: 1024 MB / Maximum: 3072 MB / Processor: Dual Core, 800 MHz		
Hard Disk	Included in configuration		
Recommended monthly page volume ²	5000 - 35,000 pages		
Maximum monthly duty cycle: up to ³	300,000 pages per month		
Copying			
Copy Speed: Up to ⁴	Black: 52 cpm	Black: 60 cpm	Black: 66 cpm
Time to First Copy: As fast as	Black: 4.5 seconds	Black: 4.2 seconds	Black: 4.0 seconds
Colour Scanning			
Scanner Type / ADF Scan	Flatbed scanner with ADF / DADF (single pass duplex) / 150 pages		
Duplex Scan Speed: Up to	A4, black: 70 spm - A4, colour: 66 spm		
Simplex Scan Speed: Up to	A4, black: 67 spm - A4, colour: 67 spm		
Faxing			
Modem speed	ITU T.30, V.34 Half-Duplex, 33.6 kbps		
Supplies⁶			
Laser cartridge yields	6000 ¹ -page cartridge, 45,000 ¹ -page cartridge, 25,000 ¹ -page cartridge	45,000 ¹ -page cartridge, 25,000 ¹ -page cartridge, 6000 ¹ -page cartridge	45,000 ¹ -page cartridge, 25,000 ¹ -page cartridge, 6000 ¹ -page cartridge
Imaging unit yield: up to ⁵	100,000 pages, based on average 3 pages per print job and 5% coverage		
Cartridge(s) shipped with product	25,000 ¹ -page Return Program toner cartridge		
Paper Handling			
Paper handling (standard) (dpe)	Staple, hole punch finisher, 550-sheet input, 100-sheet multipurpose feeder, 550-sheet output bin, Integrated duplex, 550-sheet tray	Staple, hole punch finisher, 550-sheet tray, Integrated duplex, 550-sheet output bin, 100-sheet multipurpose feeder, 550-sheet input	Staple, hole punch finisher, 550-sheet tray, Integrated duplex, 550-sheet output bin, 100-sheet multipurpose feeder, 550-sheet input
Paper handling (standard) (dxpe)	Staple, hole punch finisher, 550-sheet input, 100-sheet multipurpose feeder, 550-sheet output bin, Integrated duplex, 2100-sheet tray		
Paper input capacity, standard: up to (dpe)	Standard: 1200 pages / Maximum: 2300 pages		
Paper input capacity, standard: up to (dxpe)	Standard: 2750 pages / Maximum: 2750 pages		
Paper Output Capacity: Up to	Standard: 1050 pages / Maximum: 1050 pages		
Media types supported	Card stock, Dual web labels, Envelopes, Integrated labels, Paper labels, Plain paper, Transparencies, Refer to the Card Stock & Label Guide		
Media sizes supported	A6, 10 envelope, 7 3/4 envelope, 9 envelope, A4, A5, B5 envelope, C5 envelope, DL envelope, Oficio, Universal sizes, Statement, Letter, Legal, JIS-B5, Folio, Executive		
General			
Connectivity (standard)	One free internal card slot, Gigabit Ethernet (10/100/1000), USB 2.0 Hi-Speed certified port (type B), Rear USB 2.0 Hi-Speed certified port (type A), Front USB 2.0 Hi-Speed certified port (type A)		
Optional Network Ports / Optional Local Ports	MarkNet 8350 802.11b/g/n Wireless (internal) / 1284-B parallel interface card, RS-232C serial interface card		
Noise Level, Operating	Print: 55 dBA / Copy: 55 dBA / Scan: 57 dBA	Print: 55 dBA / Copy: 56 dBA / Scan: 57 dBA	Print: 56 dBA / Copy: 56 dBA / Scan: 57 dBA
Product guarantee	1 year On Site Service		
Size (mm. - H x W x D) / Weight (kg)	1133 x 663 x 734 mm / 87.6 kg		

Other models available include a 4-bin Mailbox:
Lexmark MX810dme, MX810dxme, MX811dme, MX811dxme, MX812dme, MX812dxme.

Visit the Lexmark website for more information on all Lexmark MX810, MX811 and MX812 models.

¹ Average standard page yield value declared in accordance with ISO/IEC 19752. ² The recommended monthly page volume is a range of pages that helps customers evaluate Lexmark's product offerings based on the average number of pages customers plan to print on the device each month. Lexmark recommends that the number of pages per month be within the stated range for optimum device performance, based on factors including: supplies replacement intervals, paper loading intervals, speed, and typical customer usage. ³ The maximum monthly duty cycle is defined as the maximum number of pages a device could deliver in a month using a multishift operation. This metric provides a comparison of robustness in relation to other Lexmark printers and MFPs. ⁴ Print and copy speeds measured in accordance with ISO/IEC 24734 and ISO/IEC 24735 respectively (ESAT). For more information see: www.lexmark.com/ISOspeeds. ⁵ Product functions only with replacement cartridges designed for use in a specific geographical region. See www.lexmark.com/regions for more details. ⁶ For more information on Lexmark Mobile Solutions see: lexmark.com/mobile



Unison is a trademark of Lexmark International, Inc. Information in this document is subject to change without notice. ENERGY STAR is a U.S. registered mark. All other trademarks are the property of their respective owners. Lexmark and Lexmark with the diamond design are trademarks of Lexmark International, Inc., registered in the United States and/or other countries. AirPrint and the AirPrint logo are trademarks of Apple Inc.